9-275 c
(July 1935)

RECORDED

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES BRANCH

DISCHARGE MEASUREMENT NOTES

Meas. No. 279
Checked by MAF
Date 3-7-46

Brazos River at Richmond Tex.

Date Feb. 21, 1946 Party W. H. Gaines

Width 419 Area 7700 Vel. 5.29 G. H. ____ Disch. 40700

Method 2 No. secs. 24 G. H. change +0.06 in 1.0 hrs. Susp. 100%

Method coef. 0.93 Hor. angle coef. Rated Meter No. 1791 Susp. coef. 1.00

GAGE READINGS (Tape)

Time		Recorder	~~Inside~~	Outside
9:50 a.m.		18.80	18.78	18.8±.3
10:30	Start		(18.85)	
11:30	Finish		(18.89)	
12:10 p.m.		18.95	18.94	—
1:07 p.m.		19.00	18.98+	19.2±.3
9:45 a.m.	~~Finish~~	USWB	w-wt.	18.98
12:05 p.m.		do		19.07
~~Weighted~~ M. G. H.			18.86	
G. H. correction				
Correct M. G. H.				

Date rated June 1 1943 Used rating
for rod Rod susp. Meter 1.0 ft.
above bottom of wt. Tags checked —
Spin before meas. ok after ok
Meas. plots — % diff. from — rating
~~Wading~~, cable, ~~ice~~, ~~boat~~, ~~upstr.~~, ~~downstr.~~, ~~side~~
bridge 220 feet, ~~mile~~, ~~above~~, below
gage, and —
~~Chain~~, wire, found 58.59,
changed to no at
Correct length 58.57
Levels obtained no

Measurement rated ~~excellent~~ (2%), good (5%), ~~fair~~ (8%), ~~poor~~ (over 8%), based on following conditions: Cross section Uniform
Flow Smooth Weather Favorable
Other Some drift flowing
Gage ok
Record removed No Intake flushed No
Observer —
Control Channel
Remarks Set slope stakes on left bank

RATE OF CHANGE IN STAGE: +0.06 ft./hr.

Sheet No. 1 of 3 sheets. G. H. of zero flow ____ ft.

U. S. GOVERNMENT PRINTING OFFICE 6—7440

12:05
ww 19.07

T 18.94
D 18.95
12:10pm

9-275
January 1935

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES BRANCH

Date 2/21/46, 19__ **DISCHARGE MEASUREMENT NOTES**

Brazos River, at Richmond, Tex.

Dist. from initial point	Angle coefficient	Depth	Depth of observation	Revolutions	Time in seconds	VELOCITY: At point	VELOCITY: Mean in vertical	VELOCITY: Mean in section	Corr. Area	Mean depth / Area	Width	Discharge
210	99	20.9 21.0	4.2	150	52			6.58	414	418	20	2730
190	⊥	22.3 22.5	4.5	150	49			6.98	446		20	3110
170	99	23.3 23.4	4.7	150	55			6.22	461	466	20	2870
→		11:15 a.m.										
150	⊥	24.2 24.3	4.9	100	43			5.31	484		20	2580
130		25.8	5.2	100	42			5.43	516		20	2800
110	⊥	27.2	5.4	100	46			4.96	408		15	2030
100	⊥	25.1	5.0	100	43			5.31	251		10	1330
90	⊥	20.1	4.0	100	44			5.19	201		10	1040
80		15.1	3.0	80	42			4.35	151		10	660
												43830
70		8.7	1.7	V=0				0	70		8	0
				Neg. Flow								
64		7.1	1.4	15	54			.65	50		7	-30
										769		
56		0						0	0		4	0
REW	From 1943 curve coeff to convert										4	43,800
	Q_2 to Q_{2-8} is 0.93											x.93
												40,700

11:30

No. 3 of 3 Sheets. Comp. by W.H.G. Chk. by MAF

U. S. GOVERNMENT PRINTING OFFICE 6—7682

80 • 75 •

2-275
January 1935

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES BRANCH

Date 2/21/46, 19__ **DISCHARGE MEASUREMENT NOTES**

Brazos River, at Richmond, Tex.

Dist. from initial point	Angle coefficient	Depth	Depth of observation	Revolutions	Time in seconds	VELOCITY: At point	VELOCITY: Mean in vertical	VELOCITY: Mean in section	Corr. Area	Mean depth / Area	Width	Discharge
	WR	17.9		100	110							
LEW 475		0						0	0		7½	0
											15	
460	⊥	10.1	2.0	50	43			2.67	202		20	540
435	⊥	13.6	2.7	80	46			3.98	340		25	1360
410	⊥	15.8	3.2	100	48			4.76	395		25	1880
385	⊥	16.9	3.4	150	59			5.80	422		25	2450
360	.99	17.2	3.4	150	55			6.22	426	430	25	2650
40 Vert#		17.6		drift								
335	.99	17.7	3.5	100	36			6.34	436	440	25	2760
40 32'		18.3										
310	.99	18.4	3.7	150	56			6.11	408	412	22½	2500
10,150 2m		19.1		drift								
290	.99	19.2	3.8	100	36			6.34	378	382	20	2400
60 32'		20.1										
270	.99	20.3	4.1	150	55			6.22	398	402	20	2480
85 60 32'		21.0										
250	.99	21.2	4.2	150	52			6.58	416	420	20	2740
60 32'		21.5										
230	.99	21.7	4.3	150	50			6.84	426	430	20	2920

No. 2 of 3 Sheets. Comp. by W.H.G. Chk. by MAF

U. S. GOVERNMENT PRINTING OFFICE 6—7682

75 •