9-275 c
(July 1935)

RECORDED

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES BRANCH

Meas. No. 280
Checked by MAF
Date 3-7-46

DISCHARGE MEASUREMENT NOTES

Brazos River at Richmond Tex

Date Feb 22, 1946 Party W.H.Goines

Width 420 Area 3.530 Vel. 4.83 G. H. _____ Disch. 41.200

Method .2 No. secs. 24 G. H. change -0.03 in 1.0 hrs. Susp. 100.C1.0

Method coef. 0.93 Hor. angle coef. Noted Meter No. 1791 Susp. coef. 1.00

GAGE READINGS (73pc)

Time	G. W.	Recorder	~~Inside~~	Outside
11:05 a.m.		19.40	19.39	19.5±
11:35	Start		(19.37)	0.2
12:35	Finish		(19.34)	
1:05 p.m.		19.33	19.32	19.5±
2:10 p.m.		19.25	19.24	0.2
	U.S.W.B. W.W.T.			
10:55 a.m.	Finish	by observer		19.51
1:00 p.m.		by W.H.G		19.42
~~Weighted~~ M. G. H.			19.36	
G. H. correction				
Correct M. G. H.				

Date rated June 1, 1943 Used rating for rod Rod susp. Meter 1.0 ft. above bottom of wt. Tags checked _____

Spin before meas. ok after ok

Meas. plots _____ % diff. from _____ rating

~~Wading, cable, ice, boat, upstr., downstr., side~~ bridge 270 feet, mile, above, below gage, and _____

Chain, wire, found 58.58, changed to no at _____

Correct length 58.57

Levels obtained no

Measurement rated excellent ~~(2%)~~, good (5%), ~~fair (8%), poor (over 8%)~~, based on following conditions: Cross section Uniform

Flow Smooth Weather Favorable

Other _____

Gage ok

Record removed No Intake flushed No

Observer _____

Control channel

Remarks ~~RATE OF CHANGE IN STAGE~~ -0.03 ft./hr.

Marked slope stakes set 2/21/46 with tie at w.s.

Sheet No. 1 of 3 sheets. G. H. of zero flow _____ ft.

U. S. GOVERNMENT PRINTING OFFICE 6—7440

80 • 75 • W.H.G 1951 10:55 observer

9-275
January 1935

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES BRANCH

Date 2/22/46, 19__ DISCHARGE MEASUREMENT NOTES

Brazos River, at Richmond Tex.

Dist. from initial point	Angle coefficient	Depth	Depth of observation	Revolutions	Time in seconds	VELOCITY: At point	VELOCITY: Mean in vertical	VELOCITY: Mean in section	Corr. Area	Mean depth Area	Width	Discharge
LEW 477		0						0	0		8½	0
460	⊥	10.7	2.1	40	47			1.96	225		21	440
435	⊥	15.6	3.1	60	42			3.27	390		25	1280
410		17.5	3.5	80	53			3.46	438		25	1520
385	⊥	18.7	3.7	80	44			4.16	468		25	1940
360	.99	20.1	4.0	100	42			5.43	497	502	25	2700
335	.99	21.1	4.2	100	43			5.31	523	528	25	2780
310	.99	22.2	4.4	100	41			5.57	495	500	22½	2760
	11:50											
290	.99	22.1	4.4	150	56			6.11	438	442	20	2680
			Drift									
270	.99	22.7	4.5	70 150	25 54	6.40 6.34		6.37	449	454	20	2860
250	.99	24.9	5.0	150	55			6.22	493	498	20	3060
230	.99	24.0	4.8	150	52			6.58	475	480	20	3120

No. 2 of 3 Sheets. Comp. by W.H.G Chk. by MAF

U. S. GOVERNMENT PRINTING OFFICE 6—7682

75 •

N-wt 19.42
bar 53.53 Corr. 58.57
1:00 pm

T 19.32
D 19.33
O 19.51.2
1:05 pm

9-275
January 1935

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES BRANCH

Pk 19.5
4 am 2/24/46

Date 2/22/46, 19__ **DISCHARGE MEASUREMENT NOTES**

Brazos River, at Richmond, Tex.

Dist. from initial point	Angle coefficient	Depth	Depth of observation	Revolutions	Time in seconds	VELOCITY: At point	VELOCITY: Mean in vertical	VELOCITY: Mean in section	Corr. Area	Mean depth Area	Width	Discharge
210	⊥	24.3	.4	150	50			6.84	486		20	3320
190	⊥	25.1	5.0	150	52			6.58	502		20	3300
170	⊥	24.1	4.8	150	57			6.00	482		20	2890
2		12:15 pm.										
150	⊥	23.6	4.7	100	47			4.86	472		20	2300
130		25.7	5.1	100	47			4.86	514		20	2500
110	⊥	27.9	5.6	100	50			4.57	418		15	1910
		1355 1785										
100		25.6	5.1	100	47			4.86	256		10	1240
90	⊥	21.4	4.3	100	44			5.19	214		10	1110
80	⊥	16.2	3.2	80	45			4.07	162		10	660
70		10.3	V= 0					0	88		8½	0
			Neg. Flow 7									44370
63		7.1	1.4	10	48			.49	46		6½	-20
									531			
57 REW		0						0	0		3	0
											426	44350
From curve dated 1943 coeff. to convert												x.93
Q2 to Q2-8 is 0.93												41,200

No. 3 of 3 Sheets. Comp. by WHG Chk. by MAF

U. S. GOVERNMENT PRINTING OFFICE 6—7632